Notification No. A2, dated 29th November 1934.

The following memo of precautionary measures to be adopted during the ensuing Sri Gangadhareswaraswami Jatra at Sivaganga, Nelamangala Taluk, which commences from 13th January 1935, is issued for information of the general public, in the interest of public safety and welfare:—

1. The shops located in the Jatra premises should be constructed in lines leaving an intervening space between shops and leaving a space of 7 feet from the said drains on both sides of the roads, to avoid accidents, obstruction, etc.

2. Sweetmeat shops and hotels should not be located near other shops. They should be in a separate (ingress and egress for men and women. The pilgrims visiting the shrine will be let into the temple by batches) line as they will always have the fire ovens going.

3. *Temple premises.*—Inside the compound, the temple verandah will be barricaded and provided with separate ingress and egress for men and women. The pilgrims visiting the shrine will be let into the temple by batches. The temple proper will on no account be allowed to be used as a halting or resting place.

4. *Cattle fair.*—Cattle that gather will not be allowed to be exhibited by the side of the high roads. They should be made to stand in places or picketed in lines specially allotted for the purpose.

5. Motor vehicles plying for hire for pilgrims will on no account be allowed to run through the Jatra premises. They must stop at the places reserved. Places will, however, be provided for the parking of such vehicles.

6. The speed of the pleasure cars in the Jatra premises should not exceed six miles an hour.

7. Licenses should not be granted to the Dramatic Companies, Circus, Cinema, Theatres, etc., until they have one hundred pots of water ready at all times to meet emergencies. Theatres should have at least six entrances and exits.

J. B. MALLARADHYA,
Sub-Division Officer.

KOLAR DISTRICT.

Notification No. L. Dis. A. 8. C. 1336—34-35, dated 28th November 1934.

Under Section 17 of the Mysore Village Panchayet Regulation, Mr. Chidambariya is appointed as Chairman of Seethareddihalli Village Panchayet in Srinivaspur Taluk, *vice* Mr. Munireddi, resigned.

T. G. RAMA IYER,
Deputy Commissioner.

KOLAR SUB-DIVISION.

Notification No. L. Dis. R. 2. P. R. 290 C. 1056—34-35, dated 30th November 1934.

Under Section 17 of the Village Panchayet Regulation, Mr. Palabatha Nareppa is declared elected as Chairman of the Rajagundlahalli Village Panchayet, Mulbagal Taluk, *vice* Mr. Ramaraju, resigned.

P. H. KRISHNA RAO,
Senior Assistant Commissioner.

CHIKBALLAPUR SUB-DIVISION.

Notification No. N. Dis. S4. P. R. No. 133—34-35, dated 26th November 1934.

Under Section 17 of the Village Panchayet Regulation, Mr C. S. Venkatesa Murthi is declared elected as a Member, in place of Mr. Sreenivasachar, deceased, and Mr. Adikarnataka Ramiah, is Nominated as an other member, in place of Mr. Adikarnataka Venkatappa, deceased, of the Chandur Village Panchayet in Gudibanda Sub-Taluk.

Notification N. Dis. S. 4 P. R. No. 137—34-35, dated 28th November 1934.

Under Section 17 of the Mysore Village Panchayet Regulation, Mr. Archak Ramappa, is declared elected as a member of the Pathakote Village Panchayet, Chintamani Taluk, in place of Mr. Chowdappa, deceased.

Notification N. Dis. S. 4-P. R. No. 138—34-35, dated 28th November 1934.

Under Section 17 of the Mysore Village Panchayet Regulation, Mr. Y. Narasinga Rao, Retired Police Daffedar, is declared elected as a member of the Yegavakota Village Panchayet, Chintamani Taluk, in place of Mr. P. Narasimhasastry, deceased.

G. MALLIKARJUNIAH,
Assistant Commissioner

DISTRICT BOARD, TUMKUR.

Notification No. C. 473—34-35, dated 28th November 1934.

Notice is hereby given that sealed tenders will be received at the Office of the President, District Board, Tumkur, up to 2 P.M., on the 21st December 1934, for sinking a well for raiyats in Guddenahalli, Turuvekere Sub-Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed before the 15th May 1935.

2. The plan and the detailed estimate may be seen at the Office of the President, District Board, between the hours of 11 A.M. and 5 P.M. except on Sundays and authorised Public Holidays.

3. Tenders should be submitted on typed forms, which may be obtained from the Office of the President. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. (25) twenty-five only in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for sinking a well for raiyats in Guddenahalli Village" in default of which tenders will be rejected.

5. The final acceptance of the tender will rest with the President, District Board, Tumkur, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the President's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. The rates should be written legibly both in figures and in words without correction.

10. The contractor will not be allowed to claim enhanced rates after the submission of the tender at any stage.

11. The decision of the President, District Board, will be final and legally binding on the contractor in case of disputes about the rates, qualities and quantities of work.

ABSTRACT OF THE ESTIMATE.

Sl. No.	Items of work	Quantity	Per	Rate
1	Deepening the well from 40′ to 42′ soft rock by wedges.	7	Cyds.	
	Do from 42′ to 48′ ..	21	,,	
	Do from 48′ to 50′ ...	7	,,	
2	Burnt stone revetment with jelly backing lead 4 miles.	115	,,	
3	Filling jelly behind revetment for extra portion dug up, up to 40′.	22	,,	
4	Burnt stone slabs, roughly dressed 6″ thick, lead 4 miles.	248	S.ft.	
5	Burnt stone in mortar for parapet wall with pointing	128	C.ft.	
6	Chunam pointing to revetment	6·60	Sqr.	
7	Providing and fixing wooden pulleys with iron works, etc., complete.	2	Each	
8	Baling water	Lump	sum	
9	Providing earthern plat-form	Lump	sum	

H. VENKATRAMIA,
President, District Board.